



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



neolab® Electrophoresis Power Supply EV231, 0-300 V, 1000 mA

€900.00
plus VAT &
Shipping

Product Images



Description

Electrophoresis power supply with manual and electronic control.
Manual input of volts, current, power and time, change of data during runtime.
Storage of 9 programs with 9 steps each for recurring routines.

- Timer with audible alarm
- constant voltage, current flow and amperage by automatic cross-over
- continuation of the remaining time in case of short-term power failure
- Leakage current detector with immediate shutdown
- Change of resistance during operation leads to alarm
- a defect leads to shutdown

Technical data:

Regulation: 1-100%
Timer: 0-99 h 59 min
Volt-hour: 0-99,9 kWh
Programs: 9 x 9 program steps
Display: 2x16 DIGIT, LCD
Resolution: 1 V, 1 mA, 1 W
Memory: 3600 values
RS232: 9600 b/s
Ambient temperature: 0-40°C
Rel. Humidity: 0-95 %
Leakage current detector: 500 µA
Connection: 210-250 V/50 Hz

EV231

Voltage: 0-300 V
Current flow: 0-1000 mA
Power: 0-150 W
Min. resistance: > 10 Ω
Outputs: 4 parallel, 4 mm jacks
Dimensions: 31 x 26 x 15 cm (W x D x H)
Weight : 6 kg

Additional Information

No.	RT-0565
Manufacturer (Brand)	neoLab
old neoLab article no.	7-8197
EAN	4058072338831
Transport temperature	Room temperature

