



neoLab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



## Wiggins laboratory stirrer High-Torque, 20 - 3000 rpm

**€1,611.36**  
plus VAT &  
Shipping

### Product Images



## Description

---

The **Wiggins High-Torque laboratory stirrers** combine precision, speed and power. The modern motor technology ensures a stirrer that is ideally suited for demanding stirring tasks in the laboratory. The robust housing and user-friendliness transform the High-Torque laboratory stirrers into a reliable helper in the laboratory.

- Brushless DC motor
- Totally enclosed and compact metal housing
- Intelligent and convenient touch control
- Bright TFT screen that displays the stirring speed and torque
- Gearbox can be switched between low speed / high torque and high speed / low torque
- Easily adjustable rotating chuck (No tools required)
- Precise speed setting
- The set speed can be maintained when the viscosity of the fluid changes
- Simple and time-saving impeller adjustments
- Digital and analog interface available
- Monitoring and control via PC software possible

## Additional Information

No.	WI-1550
Manufacturer (Brand)	Wiggins
old neoLab article no.	F-1033
EAN	4058072163563
Transport temperature	Room temperature
autoclavable at 121°C	No
Speed MAX	3000 rpm
Color	Black
Wide	95 mm
Height	230 mm
Depth	200 mm
Stirrers and rotators features	with infinitely variable speed control with automatic speed adjustment in case of viscosity change with timer with continuous function
Number of speed levels	2 stepless
Display (reading, setting)	graphic display
Operation via	Membrane keypad
Speed MIN	20 rpm
Energy supply	Power grid
Functionality	electronic electric
Weight	5 kg
Voltage	230 V

