




neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



2mag Stirring system for cell cultures 2 stirring positions, 5-5000 ml

€1,205.00
plus VAT &
Shipping

Product Images



Description

Stirring system for gentle mixing of cell suspension and culture broths, developed for highest demands as well as heat-free and uncompromising continuous operation, e.g. inCO₂ incubators.

Heat- and maintenance-free magnetic stirrer with 2 stirring positions, large footprint, also suitable for viscous culture media.

Maintenance-free stepper motor drive for extremely slow and 100% jerk-free and gentle mixing of cell cultures, jerk-free and uniform stirring even at lowest speeds, suitable for culture flasks with suspended, rotating as well as oscillating stir bar systems.

Fully potted and hermetically sealed stainless steel housing, waterproof, dustproof and germproof.

Extremely robust construction and design, easy to clean and maximally resistant, submersible in water baths, designed for heat-free long-term operation inCO₂ incubators.

Technical data

Stirring power/stirring point: 5 Watt

Weight: approx. 2.5 kg

Operating voltage: 48 VDC

Additional Information

| | |
|------------------------------------|--|
| No. | ZU-0068 |
| Manufacturer (Brand) | 2mag |
| old neoLab article no. | 7-3090 |
| EAN | 4058072444488 |
| Transport temperature | Room temperature |
| Speed MAX | 250 rpm |
| Color | silver |
| Material | Stainless steel |
| Wide | 270 mm |
| Height | 38 mm |
| Depth | 130 mm |
| Display (reading, setting) | digital |
| Weight | 2.5 kg |
| Voltage | 230 V |
| for ambient temperature | -10 to 50 °C |
| Stirrers and rotators features | ultra flat suitable for incubator external control unit required |
| Figure | 2 |
| Speed MIN | 5 rpm |
| Number of speed levels | 10 |
| Number of stirring points | 2 |
| Material housing | Stainless steel |
| Protection class | IP 68 |
| Magnetic stirrer power | 10 W |
| Material stirring plate | Stainless steel |
| Maximum relative humidity at 20 °C | 100.0 % |
| Model magnetic stirrer | neoLab magnetic stirring systems for cell cultures up to 5 l (7-3089. 7-3090. 7-3091. 7-3092) |
| Stirring power/ Stirring point | 5 W |

| | |
|-------------------------------------|---------|
| Stirring volume/stirring point MAX | 5 l |
| Stirring volume/ stirring point MIN | 5 ml |
| Temperature sensor | without |

