



neolab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



## KERN refractometer ORA,NaCl) 0-28

**Price on  
request  
plus VAT &  
Shipping**

### Product Images



## Description

---

- The models of the KERN ORA-S series are universal, maintenance-free analog handheld refractometers
- The handy and robust design allows an easy, efficient and durable use in everyday life
- The manual conversion effort is avoided by several selectable scales and excludes application errors
- These scales are specially developed, precisely calculated and verified. They are also characterized by very thin and clear lines
- The optical system and the prism cover are made of special materials, which allow a low-tolerance measurement
- All models are equipped with an eyepiece that can be easily and smoothly adjusted to different visual acuities
- Models marked with "ATC" feature automatic temperature compensation, which enables accurate measurements at different ambient temperatures

Included in delivery:

- Storage box
- Calibration solution
- Pipette
- Screwdriver
- Cleaning cloth
- Further accessories are optionally available

### Application range salt

The following models are particularly suitable for measuring and dosing the mass fraction of sodium chloride in water (salinity) and the content of NaCl (salt) in water. This is often used in the preparation and cooking of sauces, brines for pastries, the preparation of sheets (ex. brine cheese), marinades for meat and the preparation of seafood.

### Main fields of application:

- Food industry
- Restaurants and canteen kitchens
- Aquaristics: marine and seawater aquarists/fish farmers

# Additional Information

No.	KP-5068
Manufacturer (Brand)	KERN
EAN	4058072146214
Transport temperature	Room temperature
Optical devices properties	with automatic temperature compensation (ATC)
Manufacturer	CORE
Measured variables salinity	sg
Refractometer measures	Salinity
Scale ranges Salinity	0 to 28% Brix Salinity
Refractometer type	Hand refractometer

