Umsatzsteuer-Identifikationsnummer: DE 143 450 657



# KERN Refractometer ORF,330-1,4100

# **Product Images**



# **Description**

- The models of the KERN ORF-U series are precise, universal, maintenance-free digital handheld refractometers
- They are characterized by their easy handling and robustness
- Their handy design makes them suitable for convenient and quick everyday use
- The KERN ORF-U series is protected against dust and splash water according to the international protection class IP65. You can rinse the refractometer under running water after use.
- The large and clearly readable TFT color display with integrated temperature display supports the user in the reliable determination of the measured value.
- The large selection of models with simple or multiple measuring scales enables use in many areas of application
- · The optimized instrument software can output measured values in different measuring scales
- The integrated automatic temperature compensation (ATC) allows an easy and fast operation, because no manual conversion of the measurement result is necessary

• Factory calibration of the refractometer ensures immediate application and accurate measurement of your sample

### Included in delivery:

- Calibration solution
- Pipette
- Storage case
- 2×AAA batteries
- · Leather case
- Screwdriver
- Cleaning cloth

#### Technical data:

- Measuring temperature: 5-40 °C
- Overall dimensions W×D×H 145×67×40 mm
- Net weight approx. 190 g
- Power supply: 2×1.5 V AAA
- Battery life: approx. 3,750 measurements
- ATC (Automatic Temperature Compensation)
- Minimum sample volume: 2 drops
- Automatic power management (AUTO-OFF after 90 seconds)

### Application area industry/automotive

The following models are particularly suitable for the measurement and determination of AdBlue, glycol concentrations (ethylene: EG and propylene: PG), battery flux (BF), urea (Urea) and freezing point measurement of wiper water (CW) and refractive index. Furthermore, these models are suitable for the measurement of temperature exchange systems.

## Main application areas:

- Automotive industry
- · Chemical industry
- Solar industry (frost protection control)
- Geothermal industry (brine concentration measurement for geothermal energy)
- Forestry industry

## **Additional Information**

No.	KP-5118
Manufacturer (Brand)	KERN
EAN	4058072146702
Optical devices properties	mit automatischer Temperaturkompensation (ATC)
Refractometer measures	Ureagehalt
Manufacturer	KERN
Refractometer type	Handrefraktometer

