




neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



KERN precision scale 573, 6,500 kg

**Price on
request
plus VAT &
Shipping**

Product Images



Description

- Many typical laboratory functions, such as formulation function, percentage determination, GLP logging and the high precision make the KERN 572 a reliable partner for daily work in the laboratory
- The rugged design, the typical industrial functions like piece counting, vibration-free weighing and the large weighing ranges predestine this series for all industrial applications where highest precision is required
- Freely programmable weighing unit, e.g. display directly in yarn length g/m, paper weight g/m², etc.
- Rugged die-cast aluminum housing provides stability, protects the weighing technology and is insensitive to daily use
- Ring-shaped draft shield standard for models with weighing plate size Ø 106 mm. Weighing chamber Ø×H 157×43 mm
- Eyelet and hook for below-balance weighing standard on models with readability = 0.001 g
- Dust cover included in delivery
- Models with resolution $\geq 240,000$ points: Level indicator for exact leveling of the balance as standard equipment
- To make it easier for you to make the right choice of your KERN balance, we have listed a quality code for each model. This code consists of two quality features and provides you with a further decision-making aid for the perfect balance for your application in addition to the product features, technical data and pictograms.

Additional Information

No.	KP-0530
Manufacturer (Brand)	KERN
EAN	4058072125981
Transport temperature	Room temperature
Color	light greylgrey
Wide	180 mm
Height	310 mm
Depth	310 mm
Readability	0,01 g
Operation via	Membrane keypad
Weight	4.6 kg
Reproducibility	100 mg
Scales features	with switchable weighing units
Material weighing plate	Stainless steel
Weighing range MAX	6 kg
Manufacturer	CORE
Type scale	Precision scale

