



neolab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



## Eppendorf (IVD) MiniSpin plus centrifuge, 12 places f. 1.5/2 ml, rotor black, 14500 rpm

**€1,537.00**  
**plus VAT &**  
**Shipping**

### Product Images



## Description

---

Extremely compact, powerful **microcentrifuge** For research and routine laboratories.  
Best suited for work with DNA, separation of protein precipitates, centrifugation of cells.

- very quiet, smooth running
- maintenance-free drive
- autoclavable rotor, angle 45°.
- max. rotor radius 6 cm
- clear display
- 12 bores for 1.5/2 ml tubes (max. 11 mm)
- Start-up and braking time < 13 s
- chemical resistant rotor and rotor lid

### **Special features of the MiniSpin plus**

Automatic conversion of speed

Longer operating time up to 99 min or continuous operation

## Additional Information

No.	VB-1967
Manufacturer (Brand)	Eppendorf
old neolab article no.	E-1881
EAN	4058072420116
Transport temperature	Room temperature
Speed MAX	14500 rpm
Color	White
Wide	240 mm
Height	120 mm
Length	225 mm
Depth	225 mm
Operation via	Membrane keypad
Weight	3.7 kg
Voltage	230 V
for ambient temperature	10 to 40 °C
Centrifuges properties	with timer with continuous function including rotor(s) rotor is autoclavable rotor is exchangeable (Additional) rotors are available as accessories
Number of speed levels	> 10
Number of rotors supplied	1
Speed MIN	800 rpm
Fixed angle rotor	45°
Power	85 W
Material rotor	Aluminum
Maximum relative humidity at 20 °C	75.0 %
Model centrifuge	Eppendorf. MiniSpin plus
RZB	14100 g
Rotor(s) is/are suitable for	Reaction tubes. 12 x 1.5/ 2.0 ml
Type rotor	Fixed angle rotor

