



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



Eppendorf MiniSpin® plus Centrifuge, non-cooled, with rotor F-45-12-12

€1,465.00
plus VAT &
Shipping

Product Images



Description

Extremely compact, powerful **microcentrifuge** For research and routine laboratories.
Best suited for work with DNA, separation of protein precipitates, centrifugation of cells.

- very quiet, smooth running
- maintenance-free drive
- autoclavable rotor, angle 45°.
- max. rotor radius 6 cm
- clear display
- 12 bores for 1.5/2 ml tubes (max. 11 mm)
- Start-up and braking time < 13 s
- chemical resistant rotor and rotor lid

Additional Information

No.	VB-1968
Manufacturer (Brand)	Eppendorf
old neoLab article no.	E-0801
EAN	4058072187835
Transport temperature	Room temperature
Speed MAX	14500 rpm
Color	White
sterile	No
Wide	239 mm
Height	120 mm
Length	226 mm
Depth	226 mm
Operation via	Membrane keypad
Weight	4.3 kg
Voltage	230 V
for ambient temperature	10 to 40 °C
Centrifuges properties	with timer with continuous function including rotor(s) rotor is autoclavable rotor is exchangeable (Additional) rotors are available as accessories
Speed MIN	800 rpm
Number of speed levels	> 10
Power	85 W
Number of rotors supplied	1
Rotor(s) is/are suitable for	Reaction tubes. 12 x 1.5/ 2.0 ml
Fixed angle rotor	45°
Material rotor	Aluminum
Maximum relative humidity at 20 °C	75.0 %
Model centrifuge	Eppendorf. MiniSpin plus
RZB	14100 g

Type rotor

Fixed angle rotor

Type centrifuge

Mini centrifuge

