

neoLab Migge GmbH Rischerstr. 7-9 69123 Heidelberg Deutschland +49 (0)6221 / 8442-44 https://www.neolab.d e Umsatzsteuer-Identifikationsnummer :

DE 143 450 657



neoLabLine plate centrifuge, 2200 rpm, 850 x g

€702.00 plus VAT & Shipping

Product Images



The compact **neoLabLine plate centr** ifuge is the affordable alternative to large devices with extra rotor. Centrifuge PCR, ELISA and microtiter plates as well as PCR reaction tube strips quickly and easily. Suitable for all standard 96, 384 well plates with or without rim.

Horizontal plate holder

Despite the slightly larger footprint compared to conventional instruments, the horizontal plate holder offers enormous advantages. The specially arranged holders in the rotor ensure even easier plate placement.

Better PCR yields

Fast and effective centrifugation before and after the thermycyling process avoids uneven distribution of your PCR samples in the reaction tube and thus improves PCR results.

Suitable in the cold room and in the PCR workstation

A lot of PCR work is done in cold rooms or under PCR workstations. These areas of application were taken into account in the manufacture of the neoLabLine plate centrifuge. However, it should be noted that UV light can affect the resistance of the plastic.

- quiet motor
- easy cleaning of the rotor by quick removal
- with timer function (up to 10 minutes)
- with LED display
- with alarm and stop function when opening the lid during operation
- acoustic signal sounds after finishing and unlocking the lid

Additional Information

| No. | D-6081 |
|---------------------------|--|
| Manufacturer (Brand) | neoLabLine |
| EAN | 4058072160784 |
| Transport temperature | Room temperature |
| autoclavable at 121°C | No |
| Speed MAX | 2200 rpm |
| Color | white blue |
| sterile | No |
| Wide | 290 mm |
| Height | 140 mm |
| Length | 360 mm |
| Depth | 360 mm |
| Weight | 3.6 kg |
| Voltage | 230 V |
| Centrifuges properties | with infinitely variable speed control with continuous function including rotor(s) |
| Number of speed levels | 1 |
| Number of rotors supplied | 1 |
| RZB | 480 g |
| Type rotor | Swing-out rotor for deep well plates |
| Type centrifuge | Plate centrifuge |
| | |

