



neolab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



## Thermo Scientific Centrifuge Pico 21 + Rotor 24x1.5, ClickSeal lid, Rotor 18x0.5 u.2,0,Screw lid

**€3,590.00**  
plus VAT &  
Shipping

### Product Images



## Description

---

Microcentrifuges Heraeus Pico 21, vented  
incl. rotor

- generous capacity allows for a larger number of samples per run
- aerosol-tight ClickSeal™ rotor offers first-class safety and convenience
- double-row rotor eliminates the need for adapters
- fast acceleration and deceleration
- user-friendly controls
- high-quality materials allow vigorous cleaning and autoclaving

### Technical data

max. RZB:

21,100 x g

**rpm:**

14,800

noise level:

< 56 dBA

timer : 1- 99 min:1 min

dimensions H x W x D (mm) :

Pico 21: 225 x 243 x 352

### **Order No. 3-1864**

Pico 21 incl. rotor for 24 x 1.5/2.0 ml, with aerosol-tight ClickSeal biocontainment lid

**and** rotor double row, 18 x 2.0 ml/0.5 ml

## Additional Information

No.	LD-1923
Manufacturer (Brand)	Thermo Scientific
old neoLab article no.	3-1864
EAN	4058072287702
Transport temperature	Room temperature
Speed MAX	14800 rpm
Color	White
Wide	352 mm
Height	225 mm
Length	243 mm
Depth	243 mm
Operation via	Membrane keypad
Weight	10.5 kg
Voltage	230 V
for ambient temperature	5 to 40 °C
Centrifuges properties	programmable with timer with continuous function including rotor(s) rotor lid is aerosol-tight rotor is autoclavable rotor is replaceable (additional) rotors are available as accessories
Speed MIN	800 rpm
Number of speed levels	> 10
Power	230 W
Number of rotors supplied	2
Rotor(s) is/are suitable for	Reaction tubes. 24 x 1.5/ 2.0 ml
Spare part	LD-1998 LD-1996
Fixed angle rotor	45°
Material rotor	Aluminum
Maximum relative humidity at 20 °C	80.0 %
Model centrifuge	Thermo Scientific Heraeus Pico 21
RZB	21100 g

Type rotor

Fixed angle rotor

Type centrifuge

Table centrifuge (small)

