




neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



neolab® XS® pH 60 Vio without pH electrode

€422.00
plus VAT &
Shipping

Product Images



Description

XS®pH 60 VioLab benchtop pH meter without electrode

Professional benchtop pH meter with innovative HD color LCD display with possibility of brightness adjustment. pH, mV, ORP measurement with temperature display.

Possibility to select the parameters to be shown on the display.

Online setup and calibration guide allows easy and immediate use of the instrument.

Automatic pH calibration with USA and NIST buffers up to 3 and 2 user defined points.

Automatic ORP calibration at 1 point.

Display with symbols of calibrated values.

Measurement stability indicator and possibility to select 3 stability levels. GLP functions: Date and time, display of calibration data and setting of calibration period.

Manual and automatic data logger with possibility to download data to PC via micro USB. Data link software can be downloaded free of charge from www.giorgiobormac.com.

Connection to external printer via RS232 port.

All operations are constantly monitored and signaled to the operator via the colored LED above the display and self-diagnostic messages.

Measuring range:

pH: -2.00 ... 16.00 (0.1 - 0.01 pH)

mV: -1000 ... + 1999 (0.1 - 1 mV)

Temperature: -10 ... 110.0 °C (0.1 °C)

Scope of delivery:

Electrode holder stand, colored buffer solutions, USB cable, power supply and instruction manual.

S7 BNC cable, NT 55 temperature probe, without electrode.

Additional Information

No.	4-3105
Manufacturer (Brand)	neoLab
EAN	4058072190903
HSNumber	90278020
Transport temperature	Room temperature
Color	gray white
Temp MAX	110 °C
Temp MIN	-10 °C
Wide	140 mm
Height	45 mm
Length	160 mm
Display (reading, setting)	digital
Weight	0.38 kg
Voltage	240 V
for ambient temperature	5 to 45 °C
Resolution pH	0.01 pH
Resolution °C	0.1 °C
(Combined) functions	Voltage pH meter thermometer
Energy supply	Power supply unit
pH MAX	16.0 pH
pH MIN	-2.0 pH
Measuring unit	°C mV pH
Measuring accuracy pH	0.02 pH
Measuring accuracy °C	0.5 °C
Voltage MAX	1900.000000 mV
Voltage MIN	-1000.000000 mV

