




neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



Eppendorf Multipette E4

€732.00
plus VAT &
Shipping

Product Images



Description

The Eppendorf Multipette®E3 combines easy handling with a wide range of functions. The Multipette® E3 can be used for all standard applications.

Can be used with the Combitip advanced® system.

Electronic dispensing with memory function.

Ideal for viscous solutions (e.g. glycerol, oil) or liquids with high vapor pressure (e.g. acetone, ethanol)

Contamination-free dispensing and pipetting in direct displacement mode.

Easy-to-read, illuminated display, all selected parameters at a glance.

Fast and ergonomic with motorized piston drive.

Single-button tip ejector, function selection wheel for dispensing mode, automatic Combitip recognition. RFID chip; storage of up to 225 parameter settings; volume range 1 µl – 50 ml.

Includes charging cable and 2 Combitips advanced assortment packs (1 µl – 50 ml)

Additional Information

No.	VB-1744
Manufacturer (Brand)	Eppendorf
old neoLab article no.	E-9103
EAN	4058072418182
Transport temperature	Room temperature
autoclavable at 121°C	Yes
Color	light gray
Volume MAX	50000 µl
Volume MIN	1 µl
Operation via	Knobs/Buttons
Microliter pipettes features	with certification with mains/charging adapter with GLP functions with color code with dispensing function including batteries/battery ergonomically shaped IVD compliant
Number of channels	1
Energy supply	Battery
Functionality	electronic
Manufacturer	Eppendorf
Measurement deviation systematic in %	0.3 %
Measurement deviation systematic in µl	150 µl
Measurement deviation random in %	0.15 %
Measurement deviation random in µl	75 µl
Model Microliter pipette/ Dispenser	Multipette E3
Division	0.1 µl
Type Microliter pipette (design)	Direct displacement pipette
Type pipette	Microliter pipettes
Type certificate	Declaration of Conformity (standardization) IVD Directive 98/79/EC

