



neolab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



**Eppendorf Multipette E3 incl. loading stand,  
with Combitips advanced in assortment pack,  
(one Combitip each in the sizes 1 $\mu$ L - 50 mL)**

**€827.00  
plus VAT &  
Shipping**

## Product Images



## Description

---

**The Eppendorf Multipette®E3 combines easy handling with a wide range of functions.** The Multipette® E3 can be used for all standard applications.

Can be used with the Combitip advanced® system.

Electronic dispensing with memory function.

Ideal for viscous solutions (e.g. glycerol, oil) or liquids with high vapor pressure (e.g. acetone, ethanol)

Contamination-free dispensing and pipetting in direct displacement mode.

Easy-to-read, illuminated display, all selected parameters at a glance.

Fast and ergonomic with motorized piston drive.

Single-button tip ejector, function selection wheel for dispensing mode, automatic Combitip recognition. RFID chip; storage of up to 225 parameter settings; volume range 1 µl – 50 ml.

**Bundle: Includes charging stand, charging cable and 2 Combitips advanced assortment packs (1 µl – 50 ml)**

## Additional Information

No.	VB-1748
Manufacturer (Brand)	Eppendorf
old neoLab article no.	E-9105
EAN	4058072169251
Transport temperature	Room temperature
autoclavable at 121°C	Yes
Color	light gray
Volume MAX	50000 µl
Volume MIN	1 µl
Operation via	Knobs/Buttons
Microliter pipettes features	with certification with mains/charging adapter with charging station with GLP functions with color code with dispensing function including batteries/battery ergonomically shaped IVD compliant
Number of channels	1
Energy supply	Battery
Functionality	electronic
Model Microliter pipette/ Dispenser	Multipette E3
Division	0.1 µl
Type Microliter pipette (design)	Direct displacement pipette
Manufacturer	Eppendorf
Measurement deviation systematic in %	0.3 %
Measurement deviation systematic in µl	150 µl
Measurement deviation random in %	0.15 %
Measurement deviation random in µl	75 µl
Type pipette	Microliter pipettes
Type certificate	Declaration of Conformity (standardization) IVD Directive 98/79/EC

