











neoLab Migge GmbH Rischerstr. 7-9 69123 Heidelberg Deutschland +49 (0)6221 / 8442-44 https://www.neolab.d e Umsatzsteuer-Identifikationsnummer :

DE 143 450 657



## Lauda® Puridest PD 12 R water still 400 V, 3/N/PE, 50/60 Hz

€3,480.00 plus VAT & Shipping

## **Product Images**



## **Description**

LAUDA Puridest PD 12 R Water distillation apparatus 400 V; 3/N/PE; 50/60 Hz Performance features: Mono-distiller (fully automatic) with reservoir, suitable for wall mounting and tabletop installation Reservoir for distillate holds twice the hourly capacity of the apparatus Distillate withdrawal tap with continuous and jog position Condenser (cooling coil) in the reservoir, easily replaceable Solenoid valve for controlling the water supply Energy saving by distillation of the heated cooling water Water saving by automatic shut-off. Unnecessary water consumption is avoided Distilling bubble easily accessible for cleaning purposes CO2 degassing opening at the condenser Electronic contamination monitoring of the distilling bubble with distillation stop and visual cleaning indication Automatic refilling of the reservoir after distillate removal, controlled by electronic level detection Thermostatic low-water cut-out. Tubular heating element, distillation bubble, reservoir and condenser made of stainless steel Housing made of galvanized sheet steel, powder-coated Housing design double-walled Technical data: Conductance mono distillate at 25°C: 2.3 µS/cm Production capacity: 12 L/h Tank volume: 24 L Heating capacity max.: 9 kW Power consumption max.: 9 kW Cooling water consumption: 3.3 L/min Pressure difference cooling water min.: 3 bar Maximum pressure cooling water: 7 bar Water cooling Inlet for hose: 1/2 " Water cooling Outlet for hose: 3/4 " Dimensions (WxDxH): 780 x 410 x 670 mm Weight: 40 kg Ambient temperature range: 10 ... 40 °C Mains supply: 400 V; 3/N/PE; 50/60 Hz Mains plug: Mains cable with plug (IEC 60309, 5-pin, CEE, red, 16 A)

## **Additional Information**

No.	LA-1016
Manufacturer (Brand)	Lauda
Transport temperature	Room temperature

