



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



Lauda® Puridest PD 2 water still 230 V, 50/60 Hz

€1,370.00
plus VAT &
Shipping

Product Images



Description

LAUDA Puridest PD 2 water still 230 V; 50/60 Hz Performance features: Mono distiller without storage tank, suitable for tabletop installation Distillate removal through drain pipe at condenser Energy saving by distillation of heated cooling water Distilling bubble easily accessible for cleaning purposes CO₂ degassing opening at condenser Thermostatic low water cut-out. Manual cooling water control via outlet temperature Tubular heater, distillation bubble and condenser made of stainless steel Housing made of galvanized sheet steel, powder-coated Technical data: Conductance mono distillate at 25°C: 2.3 µS/cm Production capacity: 2 L/h Heating capacity max.: 2 kW Power consumption max.: 2 kW Cooling water consumption: 0.33 L/min Pressure difference cooling water min.: 1 bar Maximum pressure cooling water: 2 bar Water cooling Inlet for hose: 1/2 " Water cooling Outlet for hose: 3/4 " Dimensions (WxDxH): 280 x 250 x 490 mm Weight: 8 kg Ambient temperature range: 10 ... 40 °C Mains supply: 230 V; 50/60 Hz Mains plug: Mains cable with angled Schuko plug (CEE7/7)

Additional Information

No.	LA-1011
Manufacturer (Brand)	Lauda
Transport temperature	Room temperature

