



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



Carbolite-Gero® TF1 11/32/150 EPC3016P1 PID Controller Horizontal Tube Furnace up to 1100 Degrees

€3,580.00
plus VAT &
Shipping

Product Images



Description

Horizontal tube furnace up to 1100 °C Resistance wire heating elements embedded in high quality vacuum formed fiber insulation 1100°C maximum temperature 150 mm heated length 300 mm tube length under air atmosphere 500 mm tube length under protective gas atmosphere 32 mm max. Tube outer diameter 445x335x470 mm (HxWxD) Outer dimensions of furnace Digital PID controller (see details in separate item) 220x335x450 mm Outer dimensions of control unit 58 mm Length homogeneous zone +/-5°C at 1000°C 0,575 kW max. power type K thermocouple 15 kg Weight Connection: 230 V, single phase, 50 Hz, 0,575 kW The picture shows an item of the same type. Size and equipment may differ from this type. The furnace body is delivered mounted on the control unit. It can be easily removed from the control unit and placed directly on a table. Between the furnace body and the control unit there is a 2 m long connection cable, which can be easily unplugged from the back of the control unit. EPC3016P1 with 24 freely programmable segments (e.g. 12 ramps and 12 hold times) - Self-optimization - Thermocouple break protection - Electronic setting limit - Digital temperature setting - Digital actual and setpoint display - Max. 2 control tracks (e.g. for optional solenoid valves) - Ethernet connection on the rear panel of the control box To operate the furnace, be sure to order one of the packages - Air package IAP 25x32x300mm - Protective gas package IAP 25x32x500mm - Vacuum package (on request) Optional surcharge for CC-T1 of EPC3016P1 (00053272) Overtemperature protection digital (00053325)

Additional Information

No.	CX-0323
Manufacturer (Brand)	Carbolite-Gero
Transport temperature	Room temperature

