neoLab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland

+49 (0)6221 / 8442-44
https://www.neolab.de

Umsatzsteuer-
Identifikationsnummer:
DE 143 450 657

Nalgene® TOC certified containers

Product Images

Description

TOC Certified Vials Our certified low-level vials are perfect for measuring and sampling TOC (Total Organic Carbon). TOC certified products have been manufactured, packaged and tested to exacting standards. Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer diameter (anglo): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: container Cap Size: 15-425 Unit Size: Each Description: Screw thread glass tube (round bottom) silanized 16 x 125, Certified lt;20ppb TOC Outer Diameter (Anglo-American): 0.563 in. Volume (metric): 18 mL Height (anglo): 5 in. Level: Certified Lining material: PTFE/silicone septum Number per box: 255 Volume (anglo): 0.6 oz. Total Volume (metric): 18 mL Vial Type: Screw Certification/Compliance: Tested, contributes 20 ppb per certification; Certificate of Analysis enclosed Type: Container Cap Size: 15-425 Unit Size: Each

Additional Information

No.	CD-3658
Manufacturer (Brand)	Nalgene