



neolab Migge GmbH  
Rischerstr. 7-9  
69123 Heidelberg  
Deutschland  
+49 (0)6221 /  
8442-44  
<https://www.neolab.de>  
e

Umsatzsteuer-  
Identifikationsnummer  
:  
DE 143 450 657



## neolab® Cryo-Safe™ -1° freezing box, 120 mm Ø, 86 mm high

Special Price

**€102.34** was

**€123.30**

plus VAT &  
Shipping

### Product Images



## Description

---

Handy container made of PC for slow, controlled cooling of 18 cryotubes with 1.0/ 1.2/ 1.5 or 2.0 ml contents.

The cooling rate of approx.  $-1^{\circ}\text{C min}^{-1}$  ensures optimal cell yield.

With blue HDPE screw cap and white insert made of PE. The insert prevents direct contact of the tubes with the alcohol to avoid contamination and to protect labels and markings.

A foam insert surrounds the insert. Also known as "Mr. Frosty".

Handling is very simple: you only need 250 ml of 100% isopropanol alcohol and a freezer up to  $-70^{\circ}\text{C}$ .

Detailed instructions are printed on the container.

It is recommended to store the containers filled with alcohol at room temperature.

Lid diameter: 124 mm

**Vessel diameter:** 112 mm

**Height:** 72 mm

## Additional Information

---

|                               |  |
|-------------------------------|--|
| No.                           | 2-3701   |
| Manufacturer (Brand)          | neoLab   |
| EAN                           | 4058072001438  |
| Transport temperature         | Room temperature   |
| diameter                      | 112 mm   |
| Color                         | white blue   |
| Material                      | High-density polyethylene (HDPE)   |
| Form                          | around   |
| Height                        | 72 mm  |
| Refrigerant medium            | Refrigerant mixture  |
| Cryogenic container features  | with defined cooling rate with closure/lid with grid insert insulating for different vessel types/volumes fillable |
| for vessels with DM up to     | 12.5 mm  |
| for vessels with volume up to | 1 ml 1.2 ml 1.5 ml 2 ml  |
| for type (micro) vessel       | Cryotube   |

