



neoLab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
[https://www.neolab.d
e](https://www.neolab.de)

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



DURAN® Immersion filter, for reverse filtration 36D, 35 mm, POR.2

€65.19
plus VAT &
Shipping

Product Images



Description

DURAN® Immersion filter, Ø 35 mm, porosity 2 Filtrations are possible in a wide variety of ways. One filtration variant at reduced pressure is clarification filtration, in which larger quantities of liquid are to be filtered. In this method, the precipitate is allowed to settle and the liquid above it is drawn off through an immersion filter. This way, hardly any filter cake can form, which could clog the filter and reduce the filtration speed. Special features and advantages: For reverse filtration Clarification filtration possible – solids settle to the bottom and a supernatant solution can be filtered off Burnt-in and therefore permanently durable white print Application: clarification filtration, The recovery of the clear filtrate (not the solids content) is the main focus, filtration at reduced pressure, qualitative analysis and preparative chemistry, filtration

Additional Information

No.	SD-1910
Reg. trademark	DURAN ®
Manufacturer (Brand)	DURAN
VGKL number	112585562
EAN	4058072355852
Manufacturer EAN	4032051036628
Gross weight	0.057
Transport temperature	Room temperature
Storage temperature	Room temperature
Net weight	0.03500 kg
Material	Borosilicate glass 3.3
sterile	No
Country of origin	Hungary
Region of origin	Baden-Württemberg
Packaging volume	0.00032500 ccm
Customs tariff number	70172000

