



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e


Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



**neolab® HPLC syringe filter green coded, 0.2
µm, PTFE, 25 mm Ø, 100 pcs./pack**

**€160.00
plus VAT &
Shipping**

Product Images



Description

Effective filter area 3.7 cm²

Operating pressure 500 kPA (=5 bar/ 72 psi)

Characteristics

PTFE: hydrophobic, highly chemically resistant

Major applications

PTFE: organic solutions, aggressive acids and alkalis, cryogenic fluids

Packingunit: 100pcs/pack

Additional Information

No.	7-8700
Manufacturer (Brand)	neoLab
EAN	4058072042615
Transport temperature	Room temperature
Color	green
sterile	No
suitable for	Syringes
DM outside	25 mm
TBST MAX	45 °C
Filter properties	with special chemical resistance suitable for HPLC
MAX operating pressure	5 bar abs.
Fluid behavior	hydrophobic
Material housing	Polypropylene (PP)
Material membrane	Polytetrafluoroethylene (PTFE)
Pore size	0.20 µm
Type Connection Output	Luer cone male
Type Connection Input	Luer lock female
Area diaphragm	3.8 cm ²
Dead volume	0.1 ml
Type filter	Syringe pre-filter
for medium	Organic solutions

