



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



**qpore® syringe prefilter, PES, glass fiber
prefilter, non-sterile, 0.45, Ø 25 mm, 100
pcs/pack**

**€119.00
plus VAT &
Shipping**

Product Images



Description

qpore® offers a wide range of high quality **syringe filters** for various filtration applications in your laboratory. All filters are manufactured under the highest quality standards from the best raw materials.

This non-sterile qpore® syringe filter has a hydrophilic membrane made of PES and is therefore ideal for the filtration of aqueous solutions. PES has a high filtration rate and low protein binding. Thus, this syringe prefilter can be used wherever application or clear filtration is permitted under non-sterile conditions, as is most often the case in sample preparation prior to HPLC or GC. **Prefilter made of glass fiber included.**

The stable filter housing made of polypropylene is pressure resistant up to a maximum of 6.0 bar which allows fast filtration.

Features:

Low dead volume

Stable at pH 1-14

Luer connections: Luer lock female, Luer cone male

No risk of mix-up due to labeling (membrane type, pore size)

The syringe filters are packed non-sterile 100 pieces in a bag.

Additional Information

No.	6-0065
Manufacturer (Brand)	qpore
EAN	4058072184841
Transport temperature	Room temperature
Material	Polypropylene (PP)
sterile	No
suitable for	Syringes
Filter properties	with glass fiber prefilter
MAX operating pressure	5 bar abs.
DM outside	25 mm
Area diaphragm	3.9 cm ²
Fluid behavior	hydrophilic
Material housing	Polypropylene (PP)
Material membrane	Polyethersulfone (PES)
Pore size	0.45 µm
TBST MAX	90 °C
Type Connection Output	Luer cone male
Type Connection Input	Luer lock female
Type filter	Syringe pre-filter
for medium	Liquids

