



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



**qpore® nylon syringe filter, non-sterile, 0.22 µm,
Ø 30 mm, 100 pcs/pack**

**€119.00
plus VAT &
Shipping**

Product Images



Description

qpore® offers a comprehensive range of high quality syringe filters for various filtration applications in your laboratory. All filters are manufactured under the highest quality standards from the best raw materials.

This **non-sterile qpore® syringe filter** has a hydrophilic **nylon** membrane and is optimal for filtration of aqueous solutions and solvents. The clean and pure nylon membrane combines the fastest flow rates with low non-specific binding.

Glass fiber pre-filter included.

Thus, this syringe prefilter can be used wherever application or clear filtration is allowed under non-sterile conditions, as most often in sample preparation prior to HPLC or GC. The effective filtration area of the syringe filter is 1.65 or 4.90 cm². The sturdy polypropylene filter housing is pressure resistant up to a maximum of 6.0 bar allowing fast filtration.

Features:

- Low dead volume
- Stable at pH 3-12
- Luer connections: Luer lock female, Luer cone male
- No risk of confusion due to labeling (membrane type, pore size)
- The syringe filters are packed non-sterile 100 pieces in a bag.

Additional Information

| | |
|------------------------|--------------------------------|
| No. | 6-0018 |
| Manufacturer (Brand) | qpore |
| EAN | 4058072192020 |
| Transport temperature | Room temperature |
| Color | orange |
| Material | Polypropylene (PP) |
| sterile | No |
| suitable for | Syringes |
| DM outside | 30 mm |
| TBST MAX | 100 °C |
| Filter properties | suitable for HPLC |
| MAX operating pressure | 7.5 bar abs. |
| Fluid behavior | hydrophilic |
| Material housing | Polypropylene (PP) |
| Material membrane | Polyamide 6.6 (PA 6.6. Nylon®) |
| Pore size | 0.22 µm |
| Type Connection Output | Luer cone male |
| Type Connection Input | Luer lock female |
| Area diaphragm | 4.6 cm ² |
| Type filter | Syringe pre-filter |
| for medium | Liquids |

