



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



**qpore® syringe filter made of PES, sterile, 0.45
µm, Ø 25 mm, 100 pcs/pack**

**€149.00
plus VAT &
Shipping**

Product Images



Description

qpore® offers a comprehensive range of high quality syringe filters for various filtration applications in your laboratory. All filters are manufactured under the highest quality standards from the best raw materials.

This sterile qpore® syringe filter has a hydrophilic membrane made of PES with high mechanical and chemical resistance and minimal protein absorption. An excellent flow rate makes it optimal for sterile filtration, clear filtration and cell removal under sterile conditions. The effective filtration area of this syringe filter is 4.08 cm². The sturdy polypropylene filter housing is pressure resistant up to a maximum of 5.0 bar allowing for rapid filtration.

Features:

- Membrane diameter 25 mm
- Low dead volume
- Stable at pH 1-14
- DNA-, DNase-, RNase-, Pyrogen-free
- Luer connections: Luer lock female, Luer cone male
- No risk of confusion due to labeling (membrane type, pore size)
- The syringe filters are individually sterile packed in units of 100

Additional Information

No.	6-0045
Manufacturer (Brand)	qpore
EAN	4058072172220
Transport temperature	Room temperature
Color	White
Material	Polypropylene (PP)
sterile	Yes
suitable for	Syringes
Filter properties	suitable for HPLC single packed
MAX operating pressure	5 bar abs.
DM outside	25 mm
Area diaphragm	3.9 cm ²
Fluid behavior	hydrophilic
Material housing	Polypropylene (PP)
Material membrane	Polyethersulfone (PES)
Pore size	0.45 µm
TBST MAX	90 °C
Type Connection Output	Luer cone male
Type Connection Input	Luer lock female
Type filter	Syringe pre-filter
for medium	Liquids

