



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



qpore® Syringe Filter, PES, sterile, 0.22 µm, Ø 13 mm

€179.00
plus VAT &
Shipping

Product Images



Description

This **sterile qpore® syringe filter** has a hydrophilic membrane made of **PES** with a high mechanical and chemical resistance with minimal protein absorption. An excellent flow rate makes it optimal for sterile filtration, clear filtration and cell removal under sterile conditions. The effective filtration area of this syringe filter is 4.90 cm². The sturdy polypropylene filter housing is pressure resistant up to a maximum of 5.0 bar, enabling rapid filtration.

Features:

- Low dead volume
- Stable at pH 1-14
- DNA-, DNase-, RNase-, Pyrogen-free
- **Luer connections:** Luer lock female, **Luer cone** male
- No risk of mix-up due to labeling (membrane type, pore size)
- The syringe filters are **individually sterile packed to 100 pieces**.

Additional Information

No.	6-0124
Manufacturer (Brand)	qpore
EAN	4058072174194
Transport temperature	Room temperature
Color	White
Material	Polypropylene (PP)
sterile	Yes
suitable for	Syringes
DM outside	13 mm
TBST MAX	90 °C
Filter properties	individually packed sterile
MAX operating pressure	6 bar abs.
Area diaphragm	1.09 cm ²
Fluid behavior	hydrophilic
Material membrane	Polyethersulfone (PES)
Pore size	0.22 µm
Type Connection Output	Luer lock male
Type Connection Input	Luer lock female
Type filter	Syringe pre-filter
for medium	Liquids

