




neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



qpore® Syringe filter, PES, sterile, 0.1 µm, Ø 33 mm

€179.00
plus VAT &
Shipping

Product Images



Description

This sterile qpore® syringe filter has a hydrophilic membrane made of PES with a high mechanical and chemical resistance with minimal protein absorption. An excellent flow rate makes it optimal for sterile filtration, clear filtration and cell removal under sterile conditions. The effective filtration area of this syringe filter is 4.90 cm². The stable filter housing made of polypropylene is pressure-resistant up to a maximum of 5.0 bar, which enables rapid filtration.

Due to the Luer-Lock male connection variant, it is possible to screw several of these filters in series one after the other.

Features:

- Membrane diameter 33 mm
- Low dead volume
- Stable at pH 1-14
- DNA-, DNase-, RNase-, pyrogen-free
- **Luer connections:** Luer lock female, **Luer lock male**
- No risk of mix-up due to labeling (membrane type, pore size)
- The syringe filters are **individually sterile packed to 100 pieces.**

Additional Information

No.	6-0067
Manufacturer (Brand)	qpore
EAN	4058072171841
Transport temperature	Room temperature
Color	White
Material	Polypropylene (PP)
sterile	Yes
suitable for	Syringes
DM outside	33 mm
TBST MAX	90 °C
Filter properties	with special chemical resistance
MAX operating pressure	5 bar abs.
Fluid behavior	hydrophilic
Material housing	Polypropylene (PP)
Material membrane	Polyethersulfone (PES)
Pore size	0.10 µm
Type Connection Output	Luer lock male
Type Connection Input	Luer lock female
Area diaphragm	4.6 cm ²
Type filter	Syringe pre-filter
for medium	Liquids

