



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



Sartorius Vivaspin Turbo 4, MWCO 5 kDa, polyethersulfone, 25 pcs

€266.00
plus VAT &
Shipping

Product Images



Description

Vivaspin® Turbo 4 can process samples of up to 4 ml in swing-out rotors or in fixed-angle rotors suitable for 15 ml Falcon tubes. The optimized design of the Vivaspin® Turbo 4, the smooth and slim inner shape, guarantees maximum filtration speed down to the last microliter, allowing up to > 100-fold sample concentration. The UV adhesion technology allows a smooth connection of the membrane to the plastic housing, which ensures complete concentration of the sample in the pipette-friendly dead-stop reservoir.

For 2 to 4 ml sample solution.

Tubes fit all standard fixed rotors for 15 ml reaction tubes.

Additional Information

No.	ST-2667
Manufacturer (Brand)	Sartorius
old neolab article no.	8-6054
EAN	4058072370763
Transport temperature	Room temperature
autoclavable at 121°C	No
Color	transparent (crystal clear)
Volume	4 ml
sterile	No
Type closure/ lid	Screw cap
TBST MAX	25 °C
TBST MIN	4 °C
Filter properties	with special chemical resistance
Floor outside	conical
Color graduation	black
MWCO	5 kDa
Material membrane	Polyethersulfone (PES)
Format/ Packing	in rack
Material tube	Polycarbonate (PC)
Material closure/ lid	Polypropylene (PP)
Type filter	Vertical twin diaphragm
Type Tube/ Micro Vessel	Ultrafiltration unit

