neoLab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 / 8442-44
https://www.neolab.de

Umsatzsteuer-Identifikationsnummer:
DE 143 450 657

neochrom® UltraBond closures ND9 black, septum silicone white/PTFE red, 100 pcs/pack

€32.70 plus VAT & Shipping

Product Images

Description

Cap and septum forman inseparable unit inthe UltraBondTM closure caps, so that the septum cannot be pushed into the bottle with a blunt needle.

The septum silicone/PTFE is temperature resistant from -60°C to +200°C and suitable for single use injections.
Thickness 1.3 mm
Hardness 45° shore A

Additional Information

No.	7-0711
Manufacturer (Brand)	neochrom
EAN	4058072029715
Transport temperature	Room temperature
Color	Black
Material	Polypropylene (PP)
Type closure/ lid	Screw cap
Closures and lids features	Note on non-verified autosampler compatibility in shopping cart|suitable for autosampler|cap with septum|cap autoclavable|septum and cap one unit
DM Hole	6 mm
Thread	Short thread
Quantity components	two
Hardness	45 shore A
Material gasket / septum	Silicone|Polytetrafluoroethylene (PTFE)
Texture	corrugated
Closure / lid properties	with hole|with mounted septum
Color closure/ lid	black
DM Closure	9 mm
Thickness septum	1.3 mm
TBST MAX Septum	200 °C
TBST MIN Septum	-60 °C
for the autosampler model (If your AS does not appear here, please ask the AS manufacturer directly for the compatibility of the cap with your AS)	Please clarify the compatibility of this cap with your autosampler directly with the manufacturer of your autosampler