



neolab Migge GmbH
Rischerstr. 7-9
69123 Heidelberg
Deutschland
+49 (0)6221 /
8442-44
<https://www.neolab.de>
e

Umsatzsteuer-
Identifikationsnummer
:
DE 143 450 657



neolab® pH Electrode 2-Pore Steel T NTC+1MT DIN

€258.00
plus VAT &
Shipping

Product Images



Description

The renowned Swiss manufacturer has developed a complete line of pH electrodes for glass-bodied laboratories. The new XS sensors are available with S7 head or cable fixation with BNC or DIN connector. A special polymer electrolyte combined with a high performance reference system produces a full range of electrodes. Blue inner buffer provides a clear view of the contact with the inner pH glass membrane. All XS sensors can be connected to commercially available pH meters.

For food applications , many models are equipped with a temperature sensor for fast temperature compensation.

With NTC 30 **K**Ω temperature sensor

Additional Information

No.	4-0958
Manufacturer (Brand)	neoLab
EAN	4058072189747
Transport temperature	Room temperature
Temp MAX	60 °C
Temp MIN	0 °C
Length	120 mm
suitable for	Food sector
DM Electrode/ Sensor	12 mm
Data transmission	Cable
Electrolyte	Polymer
Shape lace	pointed
Material diaphragm	Ceramics
Material electrode / sensor	Borosilicate glass stainless steel
Measuring unit	pH
Reference	Ag/AgCl
Type electrode / sensor	with cable connection
Type plug	Jack plug 4 mm
measured size(s)	pH value
pH MAX	14.0 pH
pH MIN	0.0 pH

